

Terboinox d.o.o.

EXPORT-IMPORT

Cevni priključci sa navojem od nerđajućeg čelika




Gewinde-(Rohr)teile aus rost- und säurebeständigem Edelstahl

Stainless steel screwed pipe fittings

CEVNI LOK Z NAVOJEM Z/Z

BOGEN OHNE MUFFE A/A

BLEND 90° MALE/MALE



DN/NW	Navoj Gewinde Threading	L1 (ca.)	r (ca.)	AISI 316TI W.Nr.: 1.4571
6	1/8 "	50mm	35mm	●
8	1/4 "	60mm	40mm	●
10	3/8 "	70mm	45mm	●
15	1/2 "	80mm	55mm	●
20	3/4 "	100mm	70mm	●
25	1"	120mm	80mm	●
32	1 1/4 "	140mm	95mm	●
40	1 1/2 "	160mm	115mm	●
50	2"	190mm	125mm	●
65	2 1/2 "	240mm	170mm	●
80	3"	290mm	200mm	●

VARILNI NASTAVEK Z NAV.

ANSCHWEIßNIPPEL
WELDING NIPPLE



DN/NW	Navoj Gewinde Threading	L1 (ca.)	O.D. (ca.)	AISI 316Ti W.Nr.: 1.4571
6	1/8 "	30mm	10,2mm	●
8	1/4 "	30mm	13,5mm	●
10	3/8 "	30mm	17,2mm	●
15	1/2 "	35mm	21,3mm	●
20	3/4 "	40mm	26,9mm	●
25	1"	40mm	33,7mm	●
32	1 1/4 "	50mm	42,4mm	●
40	1 1/2 "	50mm	48,3mm	●
50	2"	50mm	60,3mm	●
65	2 1/2 "	60mm	76,1mm	●
80	3"	70mm	88,9mm	●
100	4"	80mm	114,3mm	●

ZUNANJI NAVOJ PO CELEM

ROHRNIPPEL
PARALLEL NIPPLE



DN/NW	Navoj Gewinde Threading	L1 (ca.)	AISI 316TI W.Nr.: 1.4571
6	1/8 "	16mm	●
8	1/4 "	18mm	●
10	3/8 "	22mm	●
15	1/2 "	25mm	●
20	3/4 "	30mm	●
25	1"	35mm	●
32	1 1/4 "	38mm	●
40	1 1/2 "	38mm	●
50	2"	45mm	●
65	2 1/2 "	55mm	●
80	3"	60mm	●
100	4"	70mm	●

CEVNI DVOJNI NAVOJ Z.

ROHRDOPPELNIPPEL
BARREL NIPPLE



DN/NW	Navoj Gewinde Threading	L1 (ca.)	O.D. (ca.)	AISI 316TI W.Nr.: 1.4571
6	1/8 "	30mm	10,2mm	●
8	1/4 "	30mm	13,5mm	●
10	3/8 "	40mm	17,2mm	●
15	1/2 "	60mm	21,3mm	●
20	3/4 "	60mm	26,9mm	●
25	1"	60mm	33,7mm	●
32	1 1/4 "	80mm	42,4mm	●
40	1 1/2 "	80mm	48,3mm	●
50	2"	100mm	60,3mm	●
65	2 1/2 "	100mm	76,1mm	●
80	3"	120mm	88,9mm	●
100	4"	120mm	114,3mm	●

SMREČICA Z NAVOJEM


SCLAUCHNIPPEL
HOSE NIPPLE



DN/NW	Navoj Gewinde Threading	L1 (ca.)	H.D. (ca.)	H.L. (ca.)	AISI 316TI W.Nr.: 1.4571
6	1/8 "	35mm	10,2mm	15mm	●
8	1/4 "	41mm	13,5mm	20mm	●
10	3/8 "	42mm	17,2mm	20mm	●
15	1/2 "	52mm	21,3mm	24mm	●
20	3/4 "	55mm	26,9mm	28mm	●
25	1"	60mm	33,7mm	28mm	●
32	1 1/4 "	66mm	42,4mm	30mm	●
40	1 1/2 "	70mm	48,3mm	33mm	●
50	2"	80mm	60,3mm	36mm	●
65	2 1/2 "				●
80	3"				●
100	4"				●

CEVNI NAVOJ N. (MUFA)


GANZE MUFFE
FULL SOCKET



DN/NW	Navoj Gewinde Threading	L1 (ca.)	O.D. (ca.)	AISI 316TI W.Nr.: 1.4571
6	1/8 "	17mm	13,5mm	●
8	1/4 "	25mm	18,0mm	●
10	3/8 "	26mm	21,3mm	●
15	1/2 "	34mm	26,4mm	●
20	3/4 "	36mm	31,8mm	●
25	1"	43mm	39,5mm	●
32	1 1/4 "	48mm	48,3mm	●
40	1 1/2 "	48mm	54,5mm	●
50	2"	56mm	66,3mm	●
65	2 1/2 "	65mm	82,0mm	●
80	3"	71mm	95,0mm	●
100	4"	83mm	122,0mm	●

CEVNI NAVOJ N. (MUFA KRATKA)

HALBE MUFFE
HALF SOCKET



DN/NW	Navoj Gewinde Threading	L1 (ca.)	O.D. (ca.)	AISI 316TI W.Nr.: 1.4571
6	1/8 "	11mm	13,5mm	●
8	1/4 "	11mm	18,0mm	●
10	3/8 "	12mm	21,3mm	●
15	1/2 "	15mm	26,4mm	●
20	3/4 "	15mm	31,8mm	●
25	1"	19mm	39,5mm	●
32	1 1/4 "	22mm	48,3mm	●
40	1 1/2 "	22mm	54,5mm	●
50	2"	26mm	66,3mm	●
65	2 1/2 "	30mm	82,0mm	●
80	3"	33mm	95,0mm	●
100	4"	39mm	122,0mm	●