

Terboinox d.o.o.

EXPORT-IMPORT

Flah



Flachstahl

Flat bars

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
10x	3	0,24	•			•
	4	0,31	•		•	•
	5	0,39	•		•	•
	6	0,47	•			•
12x	3	0,28	•		•	•
	4	0,38	•		•	•
	5	0,47	•			
	6	0,57	•		•	•
	8	0,75	•		•	•
	10	0,94	•			
15x	3	0,36	•		•	•
	4	0,47	•		•	•
	5	0,59	•		•	•
	6	0,71	•		•	•
	8	0,94	•		•	•
	10	1,18	•		•	•
20x	2	0,32	•			
	3	0,47	•	•	•	•
	4	0,63	•	•	•	•
	5	0,79	•	•	•	•
	6	0,94	•	•	•	•
	8	1,26	•	•	•	•
	10	1,57	•	•	•	•
	12	1,88	•		•	•
	15	2,36	•		•	•
25x	3	0,59	•	•	•	•
	4	0,79	•	•	•	•
	5	0,89	•	•	•	•
	6	1,18	•	•	•	•
	8	1,57	•	•	•	•

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
25x	10	1,96	•	•	•	•
	12	2,36	•	•	•	•
	15	2,94	•	•	•	•
	20	3,93	•		•	•
30x	2	0,47	•			
	3	0,71	•	•	•	•
	4	0,94	•	•	•	•
	5	1,18	•	•	•	•
	6	1,41	•	•	•	•
	8	1,88	•	•	•	•
	10	2,36	•	•	•	•
	12	2,83	•	•	•	•
	15	3,53	•	•	•	•
	20	4,71	•	•	•	•
	25	5,89	•		•	•
	35x	3	0,82	•		•
4		1,10	•		•	•
5		1,37	•	•	•	•
6		1,65	•	•	•	•
8		2,20	•	•	•	•
10		2,75	•	•	•	•
12		3,30	•		•	•
15		4,12	•		•	•
20		5,5	•		•	•
25		6,87	•		•	•
30		8,24	•		•	•
40x		2	0,63	•		
	3	0,94	•	•	•	•
	4	1,26	•	•	•	•
	5	1,57	•	•	•	•

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
40x	6	1,88	•	•	•	•
	8	2,51	•	•	•	•
	10	3,14	•	•	•	•
	12	3,77	•	•	•	•
	15	4,71	•	•	•	•
	20	6,28	•	•	•	•
	25	7,85	•	•	•	•
	30	9,42	•	•	•	•
	35	10,99	•	•	•	•
45x	3	1,06	•		•	•
	4	1,41	•		•	•
	5	1,77	•	•	•	•
	6	2,12	•	•	•	•
	8	2,83	•	•	•	•
	10	3,53	•	•	•	•
	12	4,24	•		•	•
	15	5,3	•		•	•
	20	7,07	•		•	•
	25	8,83	•		•	•
	30	10,6	•		•	•
	35	12,36				•
	40	14,3				•
50x	3	1,18	•	•	•	•
	4	1,57	•	•	•	•
	5	1,96	•	•	•	•
	6	2,36	•	•	•	•
	8	3,14	•	•	•	•
	10	3,93	•	•	•	•
	15	5,89	•	•	•	•

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension mm		Teža Gewicht Weight kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
50x	20	7,85	•	•	•	•
	25	9,81	•	•	•	•
	30	11,78	•	•	•	•
	35	13,74	•		•	•
	40	15,70	•	•	•	•
	45	17,60				•
55x	5	2,16	•			•
	6	2,59	•			•
	8	3,45	•		•	•
	10	4,32	•		•	•
	12	5,18	•		•	•
	15	6,48	•		•	•
	20	8,64	•		•	•
	25	10,79	•		•	•
30	12,95	•		•	•	
60x	3	1,41	•	•		•
	4	1,88	•	•	•	•
	5	2,36	•	•	•	•
	6	2,83	•	•	•	•
	8	3,77	•	•	•	•
	10	4,71	•	•	•	•
	12	5,65	•	•	•	•
	15	7,07	•	•	•	•
	20	9,42	•	•	•	•
	25	11,78	•	•	•	•
	30	14,13	•	•	•	•
	35	16,49	•	•	•	•
	40	18,84	•	•	•	•
	45	21,20	•		•	•
50	23,56	•	•	•	•	

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
65x	5	2,55	•		•	•
	6	3,06	•		•	•
	8	4,08	•		•	•
	10	5,10	•		•	•
	12	6,12	•		•	•
	15	7,65	•		•	•
	20	10,21	•		•	•
	25	12,76	•		•	•
	30	15,31	•			•
	35	17,8	•			•
	40	20,41	•			•
	70x	3	1,68	•	•	
4		2,20	•	•		•
5		2,75	•	•		•
6		3,30	•	•		•
8		4,40	•	•	•	•
10		5,50	•	•	•	•
12		6,60	•	•	•	•
15		8,24	•	•	•	•
20		10,99	•	•	•	•
25		13,74	•		•	•
30		16,49	•		•	•
35		19,23	•	•	•	•
40		21,98	•		•	•
45		24,73	•		•	•
50		27,78	•		•	•
60		32,97	•		•	•
75x	5	2,94	•		•	•
	6	3,53	•		•	•
	8	4,71	•		•	•

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
75x	10	5,89	•		•	•
	12	7,07	•		•	•
	15	8,83	•		•	•
	20	11,78	•		•	•
	25	14,72	•		•	•
	30	17,66	•			•
	35	20,61		•		•
80x	4	2,51	•	•		•
	5	3,14	•	•	•	•
	6	3,77	•	•	•	•
	8	5,02	•	•	•	•
	10	6,28	•	•	•	•
	12	7,54	•	•	•	•
	15	9,42	•	•	•	•
	20	12,56	•	•	•	•
	25	15,70	•		•	•
	30	18,84	•	•	•	•
	35	21,98	•	•	•	•
	40	25,12	•	•	•	•
	45	28,26	•		•	•
	50	31,40	•	•	•	•
60	37,68	•	•	•	•	
90x	3	2,16	•	•		
	5	3,53	•	•	•	•
	6	4,24	•	•	•	•
	8	5,65	•	•	•	•
	10	7,07	•	•	•	•
	12	8,48	•	•	•	•
	15	10,6	•	•	•	•
20	14,13	•	•	•	•	

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
90x	25	17,66	•		•	•
	30	21,2	•		•	•
	35	24,73	•		•	•
	40	28,26	•		•	•
	45	31,79	•		•	•
	50	35,32	•		•	•
	60	42,39	•		•	•
	70	49,46			•	•
100x	3	2,34	•	•		
	4	3,12	•	•		•
	5	3,93	•	•	•	•
	6	4,71	•	•	•	•
	8	6,28	•	•	•	•
	10	7,85	•	•	•	•
	12	9,42	•	•	•	•
	15	11,77	•	•	•	•
	20	15,70	•	•	•	•
	25	19,63	•		•	•
	30	23,55	•	•	•	•
	35	27,48	•		•	•
	40	31,40	•	•	•	•
	45	35,33	•		•	•
	50	39,26	•		•	•
	60	47,10	•		•	•
70	54,95	•		•	•	
110x	5	4,32	•		•	•
	6	5,18	•		•	•
	8	6,91	•		•	•
	10	8,64	•		•	•
	12	10,36	•		•	•

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
110x	15	12,95	•		•	•
	20	17,27	•		•	•
	25	22,04	•		•	•
	30	25,91	•		•	•
	40	34,63		•		
120x	4	3,84	•			
	5	4,71	•		•	•
	6	5,65	•		•	•
	8	7,45	•	•	•	•
	10	9,42	•	•	•	•
	12	11,30	•	•	•	•
	15	14,13	•	•	•	•
	20	18,84	•	•	•	•
	25	23,55	•		•	•
	30	28,26	•	•	•	•
	40	37,68	•		•	•
	50	47,12	•		•	•
	60	56,52	•		•	•
70	65,94			•	•	
125x	10	9,78	•			
130x	5	5,10			•	
	6	6,12	•		•	•
	8	8,16	•		•	•
	10	10,21	•		•	
	12	12,25	•		•	•
	15	15,31	•		•	•
	20	20,41	•		•	•
	25	25,51			•	•
30	30,62	•		•	•	

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
130x	40	40,82			•	•
	50	51,15				•
	60	61,23			•	•
	70	71,44			•	•
140x	5	5,60	•			
	6	6,59	•		•	•
	8	8,79	•		•	•
	10	10,99	•		•	•
	12	13,19	•		•	•
	15	16,49	•		•	•
	20	21,98	•		•	•
	25	27,48	•		•	•
	30	32,97			•	•
	40	43,96			•	•
	50	54,95			•	•
	60	65,94				•
150x	5	5,85	•			•
	6	7,07	•		•	•
	8	9,42	•	•	•	•
	10	11,77	•	•	•	•
	12	14,13	•		•	•
	15	17,66	•			•
	20	23,55	•		•	•
	25	29,44	•		•	•
	30	35,33	•		•	•
	40	47,10	•		•	•
	50	58,88	•			•
160x	5	6,40	•			
	6	7,68	•			
	8	10,24	•		•	•

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571	
mm		kg/m					
160x	10	12,80	•		•	•	
	12	15,36	•		•	•	
	15	19,20	•		•	•	
	20	25,60	•				
	25	31,40	•				
	30	37,68	•				
	40	50,24	•				
	180x	6	8,64	•			
8		11,52	•		•	•	
10		14,40	•		•	•	
12		17,28	•		•	•	
15		21,60	•		•	•	
20		28,80	•				
25		35,36	•				
30		42,39	•				
40		56,52	•				
200x	5	8,00	•			•	
	6	9,60	•			•	
	8	12,80	•		•	•	
	10	16,00	•		•	•	
	12	19,20	•		•	•	
	15	24,00	•		•	•	
	20	28,80	•				
	30	47,10	•				
	40	62,80	•				
	15	30,00	•			•	
	20	40,00	•			•	
	300x	6	14,40	•			•
		8	19,20	•			•
10		24,00	•			•	

TOPLOTNO OBDELANO

WARM GEFORMT

HOT FORMED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4404	AISI 321 W.Nr.: 1.4541	AISI 316TI W.Nr.: 1.4571
mm		kg/m				
300x	12	28,80	●			●
	15	36,00	●			●
	20	48,00				●
350x	6	16,80	●			●
	8	22,40	●			●
	10	28,00	●			●
	12	33,60	●			●
	15	42,00	●			●
400x	6	19,20	●			●
	8	25,60	●			●
	10	32,00	●			●
	12	38,40	●			●
	15	48,00	●			●
450x	6	21,60	●			●
	8	28,80	●			●
	10	36,00	●			●
	12	43,20	●			●
500x	6	24,00	●			●
	8	32,00	●			●
	10	40,00	●			●
	12	48,00	●			●

HLADNO OBDELANO

KALT WEITERVERARBEITET

COLD FINISHED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm		kg/m			
8x	4	0,25	•		
10x	3	0,25	•		•
	4	0,31	•		•
	5	0,39	•	•	•
	6	0,47	•		
	8	0,63	•		
12x	3	0,28	•		•
	4	0,38	•		
	5	0,47	•		
	6	0,57	•		
	8	0,75	•		
15x	3	0,35	•		•
	4	0,47	•		•
	5	0,59	•		•
	6	0,70	•		•
	8	0,94	•		•
	12	1,41	•		•
16x	6	0,75	•		
20x	3	0,47	•		•
	4	0,62	•		•
	5	0,79	•	•	•
	6	0,94	•	•	•
	8	1,26	•	•	•
	10	1,57	•	•	•
	12	1,88	•	•	•
	15	2,36	•	•	•
25x	3	0,59	•		•
	4	0,78	•		•

HLADNO OBDELANO

KALT WEITERVERARBEITET

COLD FINISHED

Dimenzija Abmessung Dimension mm		Teža Gewicht Weight kg/m	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
25x	5	0,98	•		•
	6	1,17	•		•
	8	1,57	•	•	•
	10	1,96	•	•	•
	12	2,36	•		•
	15	2,94	•		•
	20	3,93	•		•
30x	3	0,70	•		•
	4	0,94	•		•
	5	1,18	•	•	•
	6	1,41	•	•	•
	8	1,88	•	•	•
	10	2,36	•	•	•
	12	2,83	•	•	•
	15	3,53	•	•	•
	20	4,71	•	•	•
	25	5,89	•		•
35x	4	1,10	•		
	5	1,37	•		
	6	1,65	•		
	8	2,20	•		
	10	2,75	•		
	12	3,30	•		
	15	4,10	•		
	20	5,50	•		
25	6,87	•			
40x	3	0,94	•		
	4	1,26	•		•
	5	1,57	•	•	•
	6	1,88	•	•	•

HLADNO OBDELANO

KALT WEITERVERARBEITET

COLD FINISHED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm		kg/m			
40x	8	2,51	•	•	•
	10	3,14	•	•	•
	12	3,77	•	•	•
	15	4,71	•	•	•
	20	6,28	•	•	•
	25	7,85	•	•	•
	30	9,42	•	•	•
45x	5	1,76	•		
	6	2,12	•		
	8	2,82	•		
	10	3,53	•		
	12	4,24	•		
	15	5,3	•		
50x	3	1,17	•		
	4	1,57	•		
	5	1,96	•		•
	6	2,36	•		•
	8	3,14	•	•	•
	10	3,93	•	•	•
	12	4,71	•	•	•
	15	5,89	•	•	•
	20	7,85	•	•	•
	25	9,81	•		
	30	11,78	•		
	35	13,74	•		
	40	15,70	•		
60x	4	1,87	•		
	5	2,36	•		•
	6	2,83	•		•
	8	3,77	•	•	•

HLADNO OBDELANO

KALT WEITERVERARBEITET

COLD FINISHED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm		kg/m			
60x	10	4,71	•	•	•
	12	5,65	•	•	•
	15	7,07	•	•	•
	20	9,42	•	•	•
	25	11,78	•		
	30	14,13	•		
	35	16,49	•		
	40	18,72	•		
70x	5	2,75	•		
	6	3,30	•		
	8	4,40	•		
	10	5,50	•		•
	12	6,60	•		
	20	10,99	•		
	25	13,74	•		
80x	4	2,50	•		
	5	3,14	•		
	6	3,77	•		•
	8	5,02	•		•
	10	6,28	•	•	•
	12	7,54	•	•	•
	15	9,42	•	•	
	20	12,56	•	•	
	25	15,7	•		
	30	18,72	•		
90x	6	4,24	•		
	8	5,65	•		
	10	7,07	•		
	12	8,48	•		
	15	10,6	•		

HLADNO OBDELANO

KALT WEITERVERARBEITET

COLD FINISHED

Dimenzija Abmessung Dimension		Teža Gewicht Weight	AISI 304 W.Nr.: 1.4301	AISI 316L W.Nr.: 1.4305	AISI 316TI W.Nr.: 1.4571
mm		kg/m			
90x	20	14,08	•		
	25	17,60	•		
100x	5	3,93	•		
	6	4,71	•		•
	8	6,28	•		•
	10	7,85	•	•	•
	12	9,42	•	•	
	15	11,78	•	•	
	20	15,70	•	•	
	25	19,55	•		
	30	23,46	•		
110x	8	6,88	•		
	10	8,60	•		
120 x	8	7,51	•		•
	10	9,38	•		
	15	14,08	•		
	20	18,77	•		
140 x	8	8,76	•		
	10	10,95	•		
150 x	8	9,38	•		
	10	11,73	•		
	15	17,60	•		
160 x	10	12,51	•		
180 x	10	14,08	•		
200 x	10	15,64	•		
	15	8,24	•		