

---

Katalog

# Hladno valjani limovi


**Standard:** EN 10088-2

**Debljina limova:** od 0,4 mm do 8 mm

**Dostupni kvaliteti:** 1.4003, 1.4016, 1.4509, 1.4301, 1.4404, 1.4462, 1.4539, 1.4571 i drugi

**Certifikat:** EN 10204 3.1

**Oznaka površine:** 2B



| Debljina (mm) | Dimenzija (mm) |           |           |           |           |           |
|---------------|----------------|-----------|-----------|-----------|-----------|-----------|
|               | 1000×2000      | 1250×2500 | 1500×3000 | 1500×6000 | 2000×4000 | 2000×6000 |
| 0,4           | 6,4            | 10        |           |           |           |           |
| 0,5           | 8              | 12,5      |           |           |           |           |
| 0,6           | 9,6            | 15        |           |           |           |           |
| 0,7           | 11,2           | 17,5      |           |           |           |           |
| 0,8           | 12,8           | 20        | 28,8      |           |           |           |
| 1             | 16             | 25        | 36        |           |           |           |
| 1,25          | 20             | 31,25     | 45        |           |           |           |
| 1,5           | 24             | 37,5      | 54        | 108       | 96        | 144       |
| 2             | 32             | 50        | 72        | 144       | 128       | 192       |
| 2,5           | 40             | 62,5      | 90        | 180       | 160       | 240       |
| 3             | 48             | 75        | 108       | 216       | 192       | 288       |

| Debljina<br>(mm) | Dimenzija (mm) |           |           |           |           |           |
|------------------|----------------|-----------|-----------|-----------|-----------|-----------|
|                  | 1000×2000      | 1250×2500 | 1500×3000 | 1500×6000 | 2000×4000 | 2000×6000 |
| 4                | 64             | 100       | 144       | 288       | 256       | 384       |
| 6                | 96             | 150       | 216       | 432       | 384       | 576       |
| 7                | 112            | 175       | 252       | 504       | 448       | 384       |
| 8                | 128            | 200       | 288       | 576       |           |           |

Teoretska težina kg/tabla

*Terboinox doo*

Jovana Đurana 2

25000 Sombor

+381 25 42 11 80 · +381 25 42 11 81

[info@terboinox.com](mailto:info@terboinox.com)

[www.terboinox.com](http://www.terboinox.com)